# **ICON Data Product 0P: FUV Ancillary Products**

This document describes the data product for Ancillary Products for FUV Data Processing, which is in NetCDF4 format.

The FUV ancillary data file contains information on the ICON observatory as well as FUV specific information. This includes the poiniting, position, and velocity of the ICON observatory. It also includes information on the status of the observatory such as maneuvers, being in or out of the Earth's shadow, and calibrations. Pertinent information for the FUV instrument is included such as locations and details at the FUV tangent points. These files are combined with the FUV Level 1 data to produce Level 2 data. Variables labeled FUVA are for the short wave data only. Variables labeled FUVB are for the long wave data only. Variables label FUV are for both. ECEF is Earth-centered, Earth-fixed reference frame. ECI is Earth-centered inertial reference frame. We use the J2000 ECI frame. LVLH is local-vertical, local-horizontal. We have two LVLH modes: normal and reverse. LVLH Normal is when the spacecraft is looking north with latitude tangent locations between ~12 S and ~42 N. LVLH Reverse is when the spacecraft is looking south with latitude tangent locations between ~42 S and ~12 N.

# **History**

Version 03, Created by FUV Ancillary Processor v3.0.2 on Thu, 08 Oct 2020, 2020-10-08T18:28:41.000 UTC

# **Dimensions**

NetCDF files contain **variables** and the **dimensions** over which those variables are defined. First, the dimensions are defined, then all variables in the file are described.

The dimensions used by the variables in this file are given below, along with nominal sizes. Note that the size may vary from file to file. For example, the "Epoch" dimension, which describes the number of time samples contained in this file, will have a varying size.

Dimension Name	Nominal Size
ЕРОСН	7013
HORIZONTAL	6
VERTICAL	256
VECTORS	3

# **Variables**

Variables in this file are listed below. First, "data" variables are described, followed by the "support\_data" variables, and finally the "metadata" variables. The variables classified as "ignore\_data" are not shown.

### support\_data

Variable Name	Description	Units	Dimensions
EPOCH	Milliseconds since 1970-01-01 00:00:00 UTC at middle of measurement integration.	millisec onds	EPOCH
	Number of milliseconds since 1970-01-01 00:00:00 UTC at the middle of the measurement integration.		
ICON_ANCILLARY_FUV_ TIME_UTC	Date and Time in UTC format	UTC	EPOCH
2212_020	ISO 8601 formatted UTC timestamp (at middle of reading). E.g., 2017-05-27 00:00:00.380Z		
ICON_ANCILLARY_FUV_ SC_POSITION_ECEF	Spacecraft Position in ECEF Coordinates	km	EPOCH, VECTORS
	Position of spacecraft in ECEF cooridinates.		
ICON_ANCILLARY_FUV_ LATITUDE	WGS84 Latitude of Spacecraft Position (Geodetic)	degree s North	EPOCH
	Geodetic Latitude of Spacecraft in WGS84		
ICON_ANCILLARY_FUV_ LONGITUDE	WGS84 Longitude of Spacecraft Position (Geodetic)	degree s East	EPOCH
	Geodetic Longitude of Spacecraft in WGS84		
ICON_ANCILLARY_FUV_ ALTITUDE	WGS84 Altitude of Spacecraft Position (Geodetic)	km	EPOCH
	Geodetic Altitude of Spacecraft in WGS84		
ICON_ANCILLARY_FUV_ SC_SZA	Spacecraft Solar Zenith Angle	degree s	EPOCH
<u>-</u> -	Solar Zenith Angle at the spacecraft		
ICON_ANCILLARY_FUV_ SUN_STATUS	Spacecraft Sun/Shadow Status Code	binary	EPOCH
501_5111105	Binary flag indicating if the spacecraft is in the sun or shadow, where $1 = \text{shadow}$ , $0 = \text{sun}$		
ICON_ANCILLARY_FUV_ ORBIT NUMBER	Orbit Number	integer	EPOCH
	Integer Orbit Number		

Variable Name	Description	Units	Dimensions
ICON_ANCILLARY_FUV_ SLEW_STATUS	Slew or off-point Status Code  Binary Coded Integer where 1: LVLH Normal Mode 2: LVLH Reverse Mode 4: Earth Limb Pointing 8: Inertial Pointing 16: Stellar Pointing 32: Attitude Slew 64: Conjugate Maneuver 128: Nadir Calibration 256: Lunar Calibration 512: Stellar Calibration 1024: Zero Wind Calibration 2048-32768: SPARE	binary	EPOCH
ICON_ANCILLARY_FUVA _TANGENTPOINTS_LATL ONALT	Tangent Locations of FUVA (SW) in WGS84 (Latitude, Longitude, Altitude)  Location of tangent points in WGS84 for all 6 stripes and 256 vertical pixels for the shortwave channel. Locations are in Latitude, Longiutde, Altitude.	mixed	EPOCH, VERTICAL, HORIZONTAL, VECTORS
ICON_ANCILLARY_FUVA _TANGENTPOINTS_SZA	Tangent Points of FUVA (SW) Solar Zenith Angle  Solar zenith angle at tangent points for all 6 stripes and 256 vertical pixels for the shortwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVA _FOV_UNITVECTORS_EC EF	FOV Unit Vectors of FUVA (SW) in ECEF  Unit look vectors in ECEF for all 6 stripes across the image and 256 vertical pixels for the shortwave channel.	dimensi onless	EPOCH, VERTICAL, HORIZONTAL, VECTORS
ICON_ANCILLARY_FUVA _HORIZONTAL_BORESIG HT_SUN_ANGLE	Horizontal Boresight of FUVA (SW) to Sun Angle  Angle between the Sun and the horizontal plane at the center of the current instrument field of view for FUVA (Short Wave).	degree s	EPOCH
ICON_ANCILLARY_FUVA _VERTICAL_BORESIGHT _SUN_ANGLE	Vertical Boresight of FUVA (SW) to Sun Angle  Angle between the Sun and the vertical plane at the center of the current instrument field of view for FUVA (Short Wave).	degree s	EPOCH
ICON_ANCILLARY_FUVA _TOTAL_BORESIGHT_SU N_ANGLE	Total Boresight of FUVA (SW) to Sun Angle  Magnitude of the angle between the Sun and the boresight of the current instrument field of view for FUVA (Short Wave).	degree s	EPOCH
ICON_ANCILLARY_FUVA _FOV_AZIMUTH_ANGLE	FUVA (SW) FOV Celestial Azimuth  Celestial azimuth with respect to geographic north for all 6 stripes across the image and 256 vertical pixels for the shortwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVA _FOV_ZENITH_ANGLE	FUVA (SW) FOV Celestial Zenith  Celestial zenith with respect to geographic north for all 6 stripes across the image and 256 vertical pixels for the shortwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL

Variable Name	Description	Units	Dimensions
ICON_ANCILLARY_FUV_	Space Environment Region Status	binary	EPOCH
SPACE_ENVIRONMENT_R			
EGION_STATUS	Standarized for several missions, not all codes are relevant for		
	ICON. Binary Coded Integer where		
	1: Earth Shadow		
	2: Lunar Shadow		
	4: Atmospheric Absorption Zone		
	8: South Atlantic Anomaly		
	16: Northern Auroral Zone		
	32: Southern Auroral Zone		
	64: Periapsis Passage		
	128: Inner & Outer Radiation Belts		
	256: Deep Plasma Sphere		
	512: Foreshock Solar Wind		
	1024: Solar Wind Beam		
	2048: High Magnetic Field		
	4096: Average Plasma Sheet		
	8192: Bowshock Crossing		
	16384: Magnetopause Crossing		
	32768: Ground Based Observatories		
	65536: 2-Day Conjunctions		
	131072: 4-Day Conjunctions		
	262144: Time Based Conjunctions		
	524288: Radial Distance Region 1		
	1048576: Orbit Outbound		
	2097152: Orbit Inbound		
	4194304: Lunar Wake		
	8388608: Magnetotail		
	16777216: Magnetosheath		
	33554432: Science		
	67108864: Low Magnetic Latitude		
	134217728: Conjugate Observation		
ICON_ANCILLARY_FUV_	FUV Status	binary	EPOCH
STATUS			
	Binary Coded Integer where		
	1: Earth Day View		
	2: Earth Night View		
	4: Calibration Target View		
	8: Off-target View		
	16: Sun Proximity View		
	32: Moon Proximity View		
	64: North Magnetic Footpoint View		
	128: South Magnetic Footpoint View		
	256: Science Data Collection View		
	512: Calibration Data Collection View		
	4004 DAM Davidado Viano	1	1
	1024: RAM Proximity View		
	2048-32768: SPARE		
	2048-32768: SPARE		
	2048-32768: SPARE  Activity is what the spacecraft was commanded to do while		
	2048-32768: SPARE		

Variable Name	Description	Units	Dimensions
ICON_ANCILLARY_FUV_ ACTIVITY	FUV Activity	bianry	EPOCH
	Binary Coded Integer of where		
	1: Earth Day View		
	2: Earth Night View		
	4: Calibration Target View		
	8: Off-target View		
	16: Sun Proximity View		
	32: Moon Proximity View		
	64: North Magnetic Footpoint View		
	128: South Magnetic Footpoint View		
	256: Science Data Collection View		
	512: Calibration Data Collection View		
	1024: RAM Proximity View		
	2048-32768: SPARE		
	Activity is what the spacecraft was commanded to do while		
	status is the spacecraft's natural state of operations. This		
	means that activity should always be used over status if they		
	differ, but will almost always be the same.		
ICON_ANCILLARY_FUV_	Look Azimuth	degree	EPOCH
LOOK_AZIMUTH	Direction of nominal instrument pointing relative to spacecraft	3	
	axes, in the yaw direction.		
ICON_ANCILLARY_FUV_ LOOK_ROLL	Look Roll	degree	EPOCH
		s	
	Direction of nominal instrument pointing relative to spacecraft axes, in the roll direction.		
TOOM ANGELL ADV. DINA		miyad	EDOGII
ICON_ANCILLARY_FUVA	FUVA (SW) Pierce Point Locations at 150 km in WGS84	mixed	EPOCH,
_PIERCEPOINTS_LATLO	(Latitude, Longitude, Altitude)		VERTICAL,
NALT_150	Location of pierce points of a 150 km altitude surface in WGS84		HORIZONTAL,
	for all 6 stripes across the image and 256 vertical pixels for the		VECTORS
	shortwave channel. Location is in Latitude, Longitude, Altitude.		
	Shortwave chamie. Education is in Educade, Edigitude, Altitude.		
ICON_ANCILLARY_FUVA	FUVA (SW) Pierce Point Locations at 300 km in WGS84	mixed	EPOCH,
_PIERCEPOINTS_LATLO	(Latitude, Longitude, Altitude)		VERTICAL,
NALT_300			HORIZONTAL,
	Location of pierce points at 300 km altitude surface in WGS84		VECTORS
	for all 6 stripes across the image and 256 vertical pixels for the		
	shortwave channel. Location is in Latitude, Longitude, and		
	Altitude.		
ICON_ANCILLARY_FUVA	FUVA (SW) Solar Zenith Angle of Pierce Points at 150	degree	EPOCH,
_PIERCEPOINTS_SZA_1	km	S	VERTICAL,
50			HORIZONTAL
	Solar zenith angle of pierce points of a 150 km altitude surface		
	for all 6 stripes across the image and 256 vertical pixels for the		
	shortwave channel.		

Variable Name	Description	Units	Dimensions
ICON_ANCILLARY_FUVA _PIERCEPOINTS_SZA_3 00	FUVA (SW) Solar Zenith Angle of Pierce Points at 300 km  Solar zenith angle of pierce points of a 300 km altitude surface for all 6 stripes across the image and 256 vertical pixels for the shortwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUV_ SUBSOLAR_LATITUDE	Subsolar Latitude  Geodetic latitude of subsolar point, in WGS84.	degree s	EPOCH
ICON_ANCILLARY_FUV_ SUBSOLAR_LONGITUDE	Subsolar Longitude  Geodetic longitude of subsolar point, in WGS84.	degree s	EPOCH
ICON_ANCILLARY_FUV_ TURRET_ANGLE	Turret Angle  Position of the FUV turret with respect to nominal center position.	degree s	EPOCH
ICON_ANCILLARY_FUVA _TANGENTPOINTS_LST	Tangent Points Local Solar Time of FUVA (SW)  Local Solar Time at tangent points for all 6 stripes across the image and 256 vertical pixels for the shortwave channel.	hours, decimal	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVA _PIERCEPOINTS_LST_1 50	Local Solar Time at Pierce Points of FUVA (SW) at 150 km  Local Solar Time at pierce points of a 150 km altitude surface for all 6 stripes across the image and 256 vertical pixels for the shortwave channel.	hours, decimal	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVA _PIERCEPOINTS_LST_3 00	Local Solar Time at Pierce Points of FUVA (SW) at 300 km  Local Solar Time at pierce points of a 300 km altitude surface for all 6 stripes across the image and 256 vertical pixels for the shortwave channel.	hours, decimal	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVB _TANGENTPOINTS_LATL ONALT	Tangent Locations of FUVB (LW) in WGS84 (Latitude, Longitude, Altitude)  Location of tangent points of in WGS84 for all 6 stripes across the image and 256 vertical pixels for the longwave channel. Locations are in Latitude, Longitude, Altitude.	mixed	EPOCH, VERTICAL, HORIZONTAL, VECTORS
ICON_ANCILLARY_FUVB _TANGENTPOINTS_SZA	Tangent Points of FUVB (LW) Solar Zenith Angle  Solar zenith angle at tangent points for all 6 stripes across the image and 256 vertical pixels for the longwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVB _FOV_UNITVECTORS_EC EF	FOV Unit Vectors of FUVB (LW) in ECEF  Unit vectors in ECEF for all 6 stripes across the image and 256 vertical pixels for the longwave channel.	dimensi onless	EPOCH, VERTICAL, HORIZONTAL, VECTORS
ICON_ANCILLARY_FUVB _HORIZONTAL_BORESIG HT_SUN_ANGLE	Horizontal Boresight of FUVB (LW) to Sun Angle  Angle between the Sun and the horizontal plane at the center of the current instrument field of view for FUVB (Long Wave).	degree s	ЕРОСН

Variable Name	Description	Units	Dimensions
ICON_ANCILLARY_FUVB _VERTICAL_BORESIGHT _SUN_ANGLE	Vertical Boresight of FUVB (LW) to Sun Angle  Angle between the Sun and the vertical plane at the center of the current instrument field of view for FUVB (Long Wave).	degree s	EPOCH
ICON_ANCILLARY_FUVB _TOTAL_BORESIGHT_SU N_ANGLE	Total Boresight of FUVB (LW) to Sun Angle  Magnitude of the angle between the Sun and the boresight of the current instrument field of view for FUVB (Long Wave).	degree s	EPOCH
ICON_ANCILLARY_FUVB _FOV_AZIMUTH_ANGLE	FUVB (LW) FOV Celestial Azimuth  Celestial azimuth with respect to geographic north for all 6 stripes scross the image and 256 vertical pixels for the longwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVB _FOV_ZENITH_ANGLE	FUVB (LW) FOV Celestial Zenith  Celestial zenith with respect to geographic north for all 6 stripes across the image and 256 vertical pixels for the longwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVB _PIERCEPOINTS_LATLO NALT_150	FUVB (LW) Pierce Point Locations at 150 km in WGS84 (Latitude, Longitude, Altitude)  Location of pierce points of a 150 km altitude surface in WGS84 for all 6 stripes across the image and 256 vertical pixels for the longwave channel. Location is in Latitude, Longitude, Altitude.	mixed	EPOCH, VERTICAL, HORIZONTAL, VECTORS
ICON_ANCILLARY_FUVB _PIERCEPOINTS_LATLO NALT_300	FUVB (LW) Pierce Point Locations at 300 km in WGS84 (Latitude, Longitude, Altitude)  Location of pierce points of a 300 km altitude surface in WGS84 for all 6 stripes across the image and 256 vertical pixels for the longwave channel. Location is in Latitude, Longitude, Altitude.	mixed	EPOCH, VERTICAL, HORIZONTAL, VECTORS
ICON_ANCILLARY_FUVB _PIERCEPOINTS_SZA_1 50	FUVB (LW) Solar Zenith Angle of Pierce Points at 150 km  Solar zenith angle of pierce points of a 150 km altitude surface for all 6 stripes across the image and 256 vertical pixels for the longwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVB _PIERCEPOINTS_SZA_3 00	FUVB (LW) Solar Zenith Angle of Pierce Points at 300 km  Solar zenith angle of pierce points of a 300 km altitude surface for all 6 stripes across the image and 256 vertical pixels for the longwave channel.	degree s	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVB _TANGENTPOINTS_LST	Tangent Points Local Solar Time of FUVB (LW)  Local Solar Time at tangent points for all 6 stripes across the image and 256 vertical pixels for the longwave channel.	hours, decimal	EPOCH, VERTICAL, HORIZONTAL

Variable Name	Description	Units	Dimensions
ICON_ANCILLARY_FUVB _PIERCEPOINTS_LST_1 50	Local Solar Time at Pierce Points of FUVB (LW) at 150 km  Local Solar Time at pierce points of a 150 km altitude surface for all 6 stripes across the image and 256 vertical pixels for the longwave channel.	hours, decimal	EPOCH, VERTICAL, HORIZONTAL
ICON_ANCILLARY_FUVB _PIERCEPOINTS_LST_3 00	Local Solar Time at Pierce Points of FUVB (LW) at 300 km  Local Solar Time at pierce points of a 300 km altitude surface for all 6 stripes across the image and 256 vertical pixels for the longwave channel.	hours, decimal	EPOCH, VERTICAL, HORIZONTAL

Variable Name	Description	Units	Dimensions
ICON_ANCILLARY_FUV_	Quality Flag	binary	EPOCH
QUALITY_FLAG			
	Binary Coded Integer where		
	1: STATE_NO_DATA		
	2: STATE_UNCONVERGED		
	4: STATE_LOW		
	8: STATE_MED		
	16: STATE_HIGH		
	32: AD_NO_DATA		
	64: AD_DIVERGING		
	128: AD_NOT_STARTED		
	256: AD_CONVERGING		
	512: AD_COARSE_CONVERGED		
	1024: AD_FINE_CONVERGED		
	2048-32768: SPARE		
	STATE_NO_DATA: No telemetry available for this time period.		
	States are propagated from the last valid solution.		
	STATE_UNCONVERGED: The GOODS KF solution is		
	_		
	unconverged and should not be used. States are propagated		
	from the last valid solution.		
	STATE_LOW: The GPSR solution is better than the GOODS		
	solution (The position accuracy is worse than 150 m, 1-sigma)		
	STATE_MEDIUM: The GOODS solution is better than the		
	GPSR solution (The position accuracy is better than 150 m,		
	1-sigma)		
	STATE_HIGH: The GOODS solution is better than the GPSR		
	solution, and meets its performance requirements (20 m		
	position and 0.02 m/sec velocity, 1-sigma).		
	AD_NO_DATA: No telemetry available for this time period.		
	Attitude is copied from the last valid solution.		
	AD_DIVERGING: Tolerances on the diagonal elements of the		
	covariance matrix diverging and exceeds 9.9e9 asec^2 for		
	attitude sigma and 9.9e9 asec^2/sec^2 for rate sigma or		
	negative values		
	AD_NOT_STARTED: KF has not started processing		
	measurements		
	AD_CONVERGING: KF is in state of updating measurements		
	and filter started to converge		
	AD_COARSE_CONVERGED: Tolerances on the diagonal		
	elements of the covariance matrix converging and below 200K		
	asec^2 for x, y and 1000K for z in tracker frame for attitude and		
	10 asec^2/sec^2 for x, y and z for rate		
	·		
	AD_FINE_CONVERGED: Tolerances on the diagonal elements		
	of the covariance matrix converging and below 1000 asec^2 for		
	x, y and z in tracker frame for attitude and 1 asec^2/sec^2 x, y		
	and z for rate		
	N		
	Nominal value of 1040: STATE_HIGH (16) and		
	AD_FINE_CONVERGED (1024). All values are a combination		
	of a STATE value and an AD (attitude determination) value. It is		
	up to the user to determine if data outside 1040 is usable. AD		
	values NOT AD_FINE_CONVERGED should be suspect.		
	STATE_HIGH is expected, but STATE_MED is possible during		
	maneuvers.		

### metadata

Variable Name	Description	Units	Dimensions
ICON_ANCILLARY_FUV_ TURRET_FLAG	Turret Angle Flag	binary	EPOCH
	Binary flag indicating when the turret angle information is unavailable. 0 is when angle is known, 1 is when the angle is not reported and has been set to zero.		

#### Acknowledgement

This is a data product from the NASA Ionospheric Connection Explorer mission, an Explorer launched on 21:59:45 EDT on October 10, 2019. Guidelines for the use of this product are described in the ICON Rules of the Road (https://icon.ssl.berkeley.edu/Data)

Responsibility for the mission science falls to the Principal Investigator, Dr. Thomas Immel at UC Berkeley: Immel, T.J., England, S.L., Mende, S.B. et al. Space Sci Rev (2018) 214: 13. https://doi.org/10.1007/s11214-017-0449-2

Responsibility for the validation of the L1 data products falls to the instrument lead investigators/scientists.

- \* EUV: Dr. Eric Korpela: https://doi.org/10.1007/s11214-017-0384-2
- \* FUV: Dr. Harald Frey: https://doi.org/10.1007/s11214-017-0386-0
- \* MIGHTI: Dr. Christoph Englert : https://doi.org/10.1007/s11214-017-0358-4, and https://doi.org/10.1007/s11214-017-0374-4
- \* IVM: Dr. Roderick Heelis: https://doi.org/10.1007/s11214-017-0383-3

Responsibility for the validation of the L2 data products falls to those scientists responsible for those products.

- \* Daytime O and N2 profiles: Dr. Andrew Stephan: https://doi.org/10.1007/s11214-018-0477-6
- \* Daytime (EUV) O+ profiles: Dr. Andrew Stephan: https://doi.org/10.1007/s11214-017-0385-1
- \* Nighttime (FUV) O+ profiles: Dr. Farzad Kamalabadi : https://doi.org/10.1007/s11214-018-0502-9
- \* Neutral Wind profiles: Dr. Jonathan Makela: https://doi.org/10.1007/s11214-017-0359-3
- \* Neutral Temperature profiles: Dr. Christoph Englert: https://doi.org/10.1007/s11214-017-0434-9
- \* Ion Velocity Measurements: Dr. Russell Stoneback: https://doi.org/10.1007/s11214-017-0383-3

Responsibility for Level 4 products falls to those scientists responsible for those products.

- \* Hough Modes: Dr. Chihoko Yamashita: https://doi.org/10.1007/s11214-017-0401-5
- \* TIEGCM: Dr. Astrid Maute: https://doi.org/10.1007/s11214-017-0330-3
- \* SAMI3 : Dr. Joseph Huba : https://doi.org/10.1007/s11214-017-0415-z

Pre-production versions of all above papers are available on the ICON website.

Overall validation of the products is overseen by the ICON Project Scientist, Dr. Scott England.

NASA oversight for all products is provided by the Mission Scientist, Dr. Jeffrey Klenzing.

Users of these data should contact and acknowledge the Principal Investigator Dr. Immel and the party directly responsible for the data product (noted above) and acknowledge NASA funding for the collection of the data used in the research with the following statement: "ICON is supported by NASA's Explorers Program through contracts NNG12FA45C and NNG12FA42I"

These data are openly available as described in the ICON Data Management Plan available on the ICON website (http://icon.ssl.berkeley.edu/Data).

This document was automatically generated on 2020-10-08 11:37 using the file:

ICON\_LOP\_FUV\_Ancillary\_2020-06-17\_v03r099.NC

Software version: ICON SDC > FUV Prime Generator v3.0.2