ICON FUV Science Level 1 Data

This document describes the data product for ICON FUV Level 1 FUV-A Limb Image File, which is in NetCDF4 format.

The ICON Far UltraViolet (FUV) imager contributes to the ICON science objectives by providing remote sensing measurements of the daytime and nighttime atmosphere/ ionosphere. During sunlit atmospheric conditions, ICON FUV images the limb altitude profile in the shortwave (SW) band at 135.6 nm and the longwave (LW) band at 157 nm perpendicular to the satellite motion to retrieve the atmospheric O/N2 ratio. In conditions of atmospheric darkness, ICON FUV measures the 135.6 nm recombination emission of O+ ions used to compute the nighttime ionospheric altitude distribution.

The ICON Far Ultra-Violet (FUV) imager is a Czerny–Turner design Spectrographic Imager with two exit slits and corresponding back imager cameras that produce two independent images in separate wavelength bands on two detectors. For this science product, the 18x24 degree FOV is divided and co-added to produce 6 high sensitivity profiles with each nominally 12 second integration. These inform daytime and nighttime retrievals of the ionospheric composition and density (See Stephan et al and Kamalabadi et al, noted in the acknowledgements section of this file). Pointing and geolocation information are available in the FUV ancillary data also available at https://icon.ssl.berkeley.edu

This particular product used the Time Delay Integration technique to map the limb emissions to an orbit-related latitude-longitude grid as described in

* TDI: C. Wilkins: https://doi.org/10.1007/s11214-017-0410-4

More details about the mission, data products, responsibility, and data use can be found at the end of this document.

Each FUVA Level-1 file contains global attributes explaining the major properties of the file and variables. This is an example from one file.

0 ACKNOWLEDGEMENT This is a data product from the NASA Ionospheric Connection Explorer mission, an Explorer launched at 21:59:45 EDT on October 10, 2019, from Cape Canaveral AFB in the USA. Guidelines for the use of this product are described in the ICON Rules of the Road (http://icon.ssl.berkeley.edu/Data).

1 ADID_REF NASA Contract > NNG12F45C

2 CALIBRATION_FILE See calibration files in general attribute fields FLATFIELD_CORRECTION, BACKGROUND_CORRECTION, RAYLEIGH_CONVERSION

3 CONVENTIONS SPDF ISTP/IACF Modified for NetCDF (v0.8)

4 DATA_LEVEL L1

5 DATA_TYPE APIDxE3 > ICON Application ID 0xE3: FUV Science Level 0.5 Data > FUV Science Level 1 Data

6 DATA_REVISION 0 7 DATA VERSION 2.00000

8 DATA_VERSION_MAJOR 2

9 DATE END 2020-07-01T22:48:08 UTC

10 DATE_START 2020-07-01T00:00:05 UTC

11 DATE STOP 2020-07-01T22:48:08 UTC

12 DESCRIPTION ICON FUV Level 1 FUV-A Limb Image File

13 DESCRIPTOR FUV-A > ICON FUV-A L1 Science Limb Image File

14 DISCIPLINE Space Physics > Ionospheric Science

15 FILE ICON_L1_FUV_SLI_20200701_v02r000.NC

16 FILE_DATE Sun Aug 9 05:35:38 2020

17 GENERATED_BY ICON SDC > ICON FUV L1 Processor v1, Tori Fae (tfae@paradigm.ssl.berkeley.edu) and Harald Frey (hfrey@ssl.berkeley.edu)

18 GENERATION_DATE 20200809

19 HISTORY Version 2, Created by ICON FUV L1 processing with icn_fuv_create_swi_structure.pro Fri Sep 18 12:06:56 2020

MODIFICATION HISTORY:

Written by: Harald Frey, Date: January 19, 2017, Version v01 2019-12-01 some updates 2020-01-25 many updates for background etc. 2020-03-20 new backgrounds, flatfields, quality parameter etc. 2020-04-06 allow negative values, bkg variable in Rayleighs etc. 2020-06-12 new background, distortion correction 2020-08-17 new attributes 20 HTTP_LINK http://icon.ssl.berkeley.edu 21 INSTRUMENT FUV-A 22 INSTRUMENT_TYPE Imagers (Space) 23 LINK TEXT All ICON information and data can be found at the ICON web page icon.ssl.berkeley.edu 24 LINK TITLE ICON Website 25 LOGICAL_FILE_ID ICON_L1_FUV_SLI_20200701_v02r000 26 LOGICAL_SOURCE ICON_L0P_FUV-A_Science-TDI0_2020-07-01 27 LOGICAL_SOURCE_DESCRIPTION ICON FUV-A Level 1 Science Limb Image File 28 MISSION GROUP lonospheric Investigations 29 MODS See history 30 PARENTS Names of the Level-0 files for this product 31 PI_AFFILIATION UC Berkeley > SSL 32 PI NAME T. J. Immel 33 PROJECT NASA > ICON 34 RULES OF USE Public Data for Scientific Use 35 SOFTWARE VERSION ICON SDC > ICON FUV L1 Processor v1.0 36 SOURCE NAME ICON > Ionospheric Connection Explorer 37 SPACECRAFT_ID NASA > ICON - 493 38 TEXT ICON explores the boundary between Earth and space - the ionosphere - to understand the physical the immediate connection between our world and space environment around us. Visit 'http://icon.ssl.berkeley.edu' for more details. 39 TIME RESOLUTION 12000 milliseconds 40 TITLE ICON FUV Level 1 FUV-A Limb Image File 41 EPOCH0 1970-01-01/00:00:00 42 FILE_NAMING_CONVENTION source_datatype_descriptor 43 PROCESS LEVEL L1 44 SAMPLE_TIME 12 45 SAMPLE_UNIT Seconds 46 SATELLITE_ID ICON 47 TEXT_SUPPLEMENT Explanation of global attributes 48 FLATFIELD CORRECTION File names for flatfield correction 49 BACKGROUND_CORRECTION saa_files_2020-183 50 RAYLEIGH_CONVERSION Values for Rayleigh conversion

Use of this product for analysis depends on the combined use of the ancillary FUV data product which contains geopositioning data and instrument pointing details.

History

Version 5 Created by ICON FUV L1 processing with icn_fuv_create_swi_structure.pro Wed Apr 20 10:31:49 2022

MODIFICATION HISTORY: Written by: Harald Frey, Date: January 19, 2017, Version v01 2019-12-01 some updates 2020-01-25 many updates for background etc. 2020-03-20 new backgrounds, flatfields, quality parameter etc. 2020-04-06 allow negative values, bkg variable in Rayleighs etc. 2020-06-12 new background, distortion correction 2020-08-17 new attributes 2020-10-22 MCP sensitivity loss corrected 2021-06-08 major update on background and flatfield 2022-02-20 major update on background, calibration, day cleanup

Dimensions

NetCDF files contain **variables** and the **dimensions** over which those variables are defined. First, the dimensions are defined, then all variables in the file are described.

The dimensions used by the variables in this file are given below, along with nominal sizes. Note that the size may vary from file to file. For example, the "Epoch" dimension, which describes the number of time samples contained in this file, will have a varying size.

Dimension Name	Nominal Size
Epoch	2379
Rows	256
Columns	256

Variables

Variables in this file are listed below. First, "data" variables are described, followed by the "support_data" variables, and finally the "metadata" variables. The variables classified as "ignore_data" are not shown.

data

Variable Name	Description	Units	Dimensions
ICON_L1_FUVA_Limb_R	FUVA SW channel raw CCD count limb image	counts	Epoch, Rows,
aw	Raw limb image		Columns
ICON_L1_FUVA_Limb_I	FUVA SW channel calibrated limb image	Rayleig	Epoch, Rows,
MG	Calibrated limb image	h	Columns
ICON_L1_FUVA_Limb_E rror	FUVA SW channel calibrated limb image error Calibrated limb image error. Statistical 1-sigma error values associated with the mapped image.	Rayleig h	Epoch, Rows, Columns
ICON_L1_FUVA_LIMB_B	FUVA SW channel calibrated limb image background	Rayleig	Epoch, Rows
KG	Calibrated limb image bkg	h	

support_data

Variable Name	Description	Units	Dimensions
Epoch	Epoch	millisec onds	Epoch
	Center time of the exposure, milliseconds after 1970-01-01/00:00:00 UT		
ICON_L1_FUVA_SWI_St art_Times	Start time		Epoch
	Start time of the exposure, UT		
ICON_L1_FUVA_SWI_St op_Times	Stop time		Epoch
	Stop time of the exposure, UT		
ICON_L1_FUVA_SWI_Ce nter_Times	Center time		Epoch
	Center time of the exposure, UT		
ICON_L1_FUVA_SWI_In tegration_Time	Time	second	Epoch
	Integration time for integration in seconds	S	
ICON_L1_FUVA_SWI_Ch ain_ID	Number	number	Epoch
	Chain ID for integration in seconds		

Variable Name	Description	Units	Dimensions
ICON_L1_FUVA_SWI_Qu ality_Flag	Quality indicator (also quickly shows times when images are available)	number	Epoch
01107_1103	QUALITY_FLAG is an indicator of data quality = 0 = No errors or quality conditions, LVLH 1 = No errors or quality conditions, R-LVLH 2 = Lunar calibration 3 = Insufficient high voltage 4 = Nadir calibration 5 = Zero wind calibration 6 = Bad pointing 7 = S/C attitude slew 8 = Conjugate observation 9 = Stellar calibration 10 = Unreliable background subtracted		
	17 = unspecified error condition		
ICON_L1_FUV_Mode	Data collection mode Data collection mode of FUV instrument 1 = Dayside science 2 = Nightside science 3 = Calibration 4 = Nadir 5 = Conjugate 6 = Stars 7 = Ram 8 = Off Target 9 = Engineering 13 = Unknown	number	Epoch
ICON_L1_FUVA_SWI_HV _PHOS	HV of SW channel phosphor HV of phosphor screen	Volt	Epoch
ICON_L1_FUVA_SWI_HV _MCP	HV of SW channel MCP HV of MCP	Volt	Epoch
ICON_L1_FUV_Turret	FUV turret angle FUV turret angle in degrees with respect to nominal center position	degree	Epoch
ICON_L1_FUVA_CCD_TE MP	FUVA CCD temperature FUVA CCD temperature	degree C	Epoch
ICON_L1_FUVA_Board_ TEMP	FUVA board temperature FUVA digital board temperature	degree C	Epoch
ICON_L1_FUVA_HV_TEM P	FUVA HVPS temperature FUVA HVPS temperature	degree C	Epoch
	FUV imager enclosure temperature	degree	Epoch

Variable Name	Description	Units	Dimensions
ICON_L1_FUV_OPT_TEM P	FUV optics bench temperature	degree C	Epoch
		dograa	
ICON_L1_FUV_Turret_ TEMP	FUV turret temperature	degree C	Epoch
	FUV turret temperature		
ICON_L1_FUV_Scan_TE MP	FUV scan mirror temperature	degree C	Epoch
	FUV scan mirror temperature		

metadata

Variable Name	Description	Units	Dimensions
Rows	Row Number	number	Rows
	Vertical row numbers for images		
Columns	Column Number	number	Columns
	Horizontal column numbers for images		
ICON_L1_FUVA_Azimut h	Azimuth of FUVA channel with respect to spacecraft coordinates	degree	Epoch
	FUVA channel pointing azimuth		
ICON_L1_FUVA_Elevat ion	Elevation of FUVA channel with respect to spacecraft coordinates	degree	Epoch
	FUVA channel pointing elevation		
ICON_L1_FUVA_Roll	Roll of FUVA channel with respect to spacecraft coordinates	degree	Epoch
	FUVA channel pointing roll		

Acknowledgement

This is a data product from the NASA lonospheric Connection Explorer mission, an Explorer launched at 21:59:45 EDT on October 10, 2019, from Cape Canaveral AFB in the USA. Guidelines for the use of this product are described in the ICON Rules of the Road (http://icon.ssl.berkeley.edu/Data).

Responsibility for the mission science falls to the Principal Investigator, Dr. Thomas Immel at UC Berkeley: Immel, T.J., England, S.L., Mende, S.B. et al. Space Sci Rev (2018) 214: 13. https://doi.org/10.1007/s11214-017-0449-2

Responsibility for the validation of the L1 data products falls to the instrument lead investigators/scientists.

- * EUV: Dr. Eric Korpela : https://doi.org/10.1007/s11214-017-0384-2
- * FUV: Dr. Harald Frey : https://doi.org/10.1007/s11214-017-0386-0
- * MIGHTI: Dr. Christoph Englert : https://doi.org/10.1007/s11214-017-0358-4, and
- https://doi.org/10.1007/s11214-017-0374-4
- * IVM: Dr. Roderick Heelis : https://doi.org/10.1007/s11214-017-0383-3

Responsibility for the validation of the L2 data products falls to those scientists responsible for those products.

- * Daytime O and N2 profiles: Dr. Andrew Stephan : https://doi.org/10.1007/s11214-018-0477-6
- * Daytime (EUV) O+ profiles: Dr. Andrew Stephan : https://doi.org/10.1007/s11214-017-0385-1
- * Nighttime (FUV) O+ profiles: Dr. Farzad Kamalabadi : https://doi.org/10.1007/s11214-018-0502-9
- * Neutral Wind profiles: Dr. Jonathan Makela : https://doi.org/10.1007/s11214-017-0359-3
- * Neutral Temperature profiles: Dr. Christoph Englert : https://doi.org/10.1007/s11214-017-0434-9
- * Ion Velocity Measurements : Dr. Russell Stoneback : https://doi.org/10.1007/s11214-017-0383-3

Responsibility for Level 4 products falls to those scientists responsible for those products.

- * Hough Modes : Dr. Chihoko Yamashita : https://doi.org/10.1007/s11214-017-0401-5
- * TIEGCM : Dr. Astrid Maute : https://doi.org/10.1007/s11214-017-0330-3
- * SAMI3 : Dr. Joseph Huba : https://doi.org/10.1007/s11214-017-0415-z

Pre-production versions of all above papers are available on the ICON website. http://icon.ssl.berkeley.edu/Publications

Overall validation of the products is overseen by the ICON Project Scientist, Dr. Scott England.

NASA oversight for all products is provided by the Mission Scientist, Dr. Jeffrey Klenzing.

Users of these data should contact and acknowledge the Principal Investigator Dr. Immel and the party directly responsible for the data product (noted above) and acknowledge NASA funding for the collection of the data used in the research with the following statement : "ICON is supported by NASA's Explorers Program through contracts NNG12FA45C and NNG12FA42I".

These data are openly available as described in the ICON Data Management Plan available on the ICON website (http://icon.ssl.berkeley.edu/Data).

This document was automatically generated on 2022-04-25 09:11 using the file: ICON_L1_FUV_SLI_2022-03-31_v05r001.NC Software version: ICON SDC > ICON FUV L1 Processor version 2022-04-06