## **ICON Data Product 4.1: HME Amplitudes and Phases**

This data product contains HME tidal amplitudes and phases of zonal wind, meridional wind, temperature from 0-400 km in the latitude range of 10°S-40°N. Tidal structures obtained from ICON-MIGHTI observations are fitted to Hough Mode Extension (HME). ICON-MIGHTI winds and temperature from 94 km to 102 km in the latitude range of 10°S-40°N are used to fit to the HME. To cover all local time for tidal analysis, ICON-MIGHTI data are accumulated with a 35-day window. HME has been widely used and tested before, and detailed HME methodologies are summarized in *Forbes et al.* [1994] and *Oberheide et al.* [2011]. HME for ICON is summarized in *Forbes et al.* [2017], and a sensitivity analysis of HME fitting to the local-time and altitude coverage and variables can be found in *Cullens et al.* [2020]. HME is only consider vertical propagation from below and do not include in-situ generations and non-linear interactions. For obtaining realistic tidal structures including in-situ generated tides, propagation, and nonlinear interaction, TIE-GCM simulations forced by ICON-HME, ICON data product 4.3, is recommended to use.

## **Dimensions**

NetCDF files contain variables and the dimensions over which those variables are defined. First, the dimensions are defined, then all variables in the file are described.

The dimensions used by the variables in this file are given below, along with nominal sizes.

| <b>Dimension Name</b> | Nominal Size |
|-----------------------|--------------|
| Latitude              | 36           |
| Altitude              | 150          |
| Date                  | 35           |

## Variables

Variables in this file are listed below.

| Variable Name | Description  | Unit | Dimension          |
|---------------|--|------|--------------------|
| DAMP_XX_T     | Diurnal tidal temperature amplitudes. XX represents different tidal components. The notation Ws or Es are used to indicate a westward or eastward-propagating diurnal tide, respectively, with zonal wavenumber s. For example, E3 will be a eastward propagating diurnal tides with zonal wavenumber 3.           | K    | Latitude, Altitude |
| SDAMP_XX_T    | Semi-diurnal tidal temperature amplitudes. XX represents different tidal components. The notation Ws or Es are used to indicate a westward or eastward-propagating diurnal tide, respectively, with zonal wavenumber s. For example, w3 will be a westward propagating semi-diurnal tides with zonal wavenumber 3. | K    | Latitude, Altitude |
| DAMP_XX_U     | Diurnal tidal zonal wind amplitudes. XX represents different tidal components. The notation Ws or Es are used to indicate a westward or eastward-propagating diurnal tide, respectively, with zonal wavenumber s.  | m/s  | Latitude, Altitude |

|              | E 1 E2 311                                   | 1     | T                  |
|--------------|--|-------|--------------------|
|              | For example, E3 will be a eastward           |       |                    |
|              | propagating diurnal tides with zonal         |       |                    |
|              | wavenumber 3.                                |       |                    |
| SDAMP_XX_U   | Semi-diurnal tidal zonal wind amplitudes.    | m/s   | Latitude, Altitude |
|              | XX represents different tidal components.    |       |                    |
|              | The notation Ws or Es are used to indicate a |       |                    |
|              | westward or eastward-propagating diurnal     |       |                    |
|              | tide, respectively, with zonal wavenumber s. |       |                    |
|              | For example, w3 will be a westward           |       |                    |
|              | propagating semi-diurnal tides with zonal    |       |                    |
|              | wavenumber 3.                                |       |                    |
| DAMP XX V    | Diurnal tidal meridional wind amplitudes.    | m/s   | Latitude, Altitude |
| 212.11_11_1  | XX represents different tidal components.    |       |                    |
|              | The notation Ws or Es are used to indicate a |       |                    |
|              | westward or eastward-propagating diurnal     |       |                    |
|              | tide, respectively, with zonal wavenumber s. |       |                    |
|              | For example, E3 will be a eastward           |       |                    |
|              | propagating diurnal tides with zonal         |       |                    |
|              | wavenumber 3.                                |       |                    |
| SDAMP XX V   | Semi-diurnal tidal meridional wind           | m/s   | Latitude, Altitude |
| SDAMP_AA_V   |  | III/S | Latitude, Attitude |
|              | amplitudes. XX represents different tidal    |       |                    |
|              | components. The notation Ws or Es are used   |       |                    |
|              | to indicate a westward or eastward-          |       |                    |
|              | propagating diurnal tide, respectively, with |       |                    |
|              | zonal wavenumber s. For example, w3 will     |       |                    |
|              | be a westward propagating semi-diurnal       |       |                    |
|              | tides with zonal wavenumber 3.               |       |                    |
| DPHASE_XX_T  | Diurnal tidal temperature phases. XX         | hour  | Latitude, Altitude |
|              | represents different tidal components. The   |       |                    |
|              | notation Ws or Es are used to indicate a     |       |                    |
|              | westward or eastward-propagating diurnal     |       |                    |
|              | tide, respectively, with zonal wavenumber s. |       |                    |
|              | the phase is defined as the time when the    |       |                    |
|              | maximum is observed at 0 longitude.          |       |                    |
| SDPHASE_XX_T | Semi-diurnal tidal temperature phases. XX    | hour  | Latitude, Altitude |
|              | represents different tidal components. The   |       |                    |
|              | notation Ws or Es are used to indicate a     |       |                    |
|              | westward or eastward-propagating diurnal     |       |                    |
|              | tide, respectively, with zonal wavenumber s. |       |                    |
| DPHASE XX U  | Diurnal tidal zonal wind phases. XX          | hour  | Latitude, Altitude |
|              | represents different tidal components. The   |       | , ,                |
|              | notation Ws or Es are used to indicate a     |       |                    |
|              | westward or eastward-propagating diurnal     |       |                    |
|              | tide, respectively, with zonal wavenumber s. |       |                    |
| SDPHASE XX U | Semi-diurnal tidal zonal wind phases. XX     | hour  | Latitude, Altitude |
|              | represents different tidal components. The   | 11041 | Latitude, Hilliade |
|              | notation Ws or Es are used to indicate a     |       |                    |
|              | westward or eastward-propagating diurnal     |       |                    |
|              |  |       |                    |
|              | tide, respectively, with zonal wavenumber s. |       |                    |

| DPHASE_XX_V  | Diurnal tidal meridional wind phases. XX represents different tidal components. The notation Ws or Es are used to indicate a westward or eastward-propagating diurnal tide, respectively, with zonal wavenumber s.   | hour | Latitude, Altitude |
|--------------|--|------|--------------------|
| SDPHASE_XX_V | Semi-diurnal tidal meridonal wind phases. XX represents different tidal components. The notation Ws or Es are used to indicate a westward or eastward-propagating diurnal tide, respectively, with zonal wavenumber s.   | hour | Latitude, Altitude |
| MissingData  | MIGHTI tides are calculated using 35 days of observations. Missing Data indicate which days are used to estimated MIGHTI tidal structures for HME fit. A 35 day windows is +/- 17 days from the date indicated in this file.  0: data is not missing 1: data is missing. | None | Date               |

## Acknowledgement

This is a data product from the NASA Ionospheric Connection Explorer mission, an Explorer launched at 21:59:45 EDT on October 10, 2019, from Cape Canaveral AFB in the USA. Guidelines for the use of this product are described in the ICON Rules of the Road (http://icon.ssl.berkeley.edu/Data).

Responsibility for the mission science falls to the Principal Investigator, Dr. Thomas Immel at UC Berkeley: Immel, T.J., England, S.L., Mende, S.B. et al. Space Sci Rev (2018) 214: 13. https://doi.org/10.1007/s11214-017-0449-2

Responsibility for the validation of the L1 data products falls to the instrument lead investigators/scientists.

- \* EUV: Dr. Eric Korpela: https://doi.org/10.1007/s11214-017-0384-2
- \* FUV: Dr. Harald Frey: https://doi.org/10.1007/s11214-017-0386-0
- \* MIGHTI: Dr. Christoph Englert : https://doi.org/10.1007/s11214-017-0358-4, and https://doi.org/10.1007/s11214-017-0374-4
- \* IVM: Dr. Roderick Heelis: https://doi.org/10.1007/s11214-017-0383-3

Responsibility for the validation of the L2 data products falls to those scientists responsible for those products.

- \* Daytime O and N2 profiles: Dr. Andrew Stephan: https://doi.org/10.1007/s11214-018-0477-6
- \* Daytime (EUV) O+ profiles: Dr. Andrew Stephan: https://doi.org/10.1007/s11214-017-0385-1
- \* Nighttime (FUV) O+ profiles: Dr. Farzad Kamalabadi : https://doi.org/10.1007/s11214-018-0502-9
- \* Neutral Wind profiles: Dr. Jonathan Makela: https://doi.org/10.1007/s11214-017-0359-3
- \* Neutral Temperature profiles: Dr. Christoph Englert: https://doi.org/10.1007/s11214-017-0434-9
- \* Ion Velocity Measurements: Dr. Russell Stoneback: https://doi.org/10.1007/s11214-017-0383-3

Responsibility for Level 4 products falls to those scientists responsible for those products.

- \* Hough Modes: Dr. Chihoko Cullens: https://doi.org/10.1007/s11214-017-0401-5
- \* TIEGCM: Dr. Astrid Maute: https://doi.org/10.1007/s11214-017-0330-3
- \* SAMI3 : Dr. Joseph Huba : https://doi.org/10.1007/s11214-017-0415-z

Pre-production versions of all above papers are available on the ICON website. http://icon.ssl.berkeley.edu/Publications

Overall validation of the products is overseen by the ICON Project Scientist, Dr. Scott England.

NASA oversight for all products is provided by the Mission Scientist, Dr. Jeffrey Klenzing.

Users of these data should contact and acknowledge the Principal Investigator Dr. Immel and the party directly responsible for the data product (noted above) and acknowledge NASA funding for the collection of the data used in the research with the following statement: "ICON is supported by NASA's Explorers Program through contracts NNG12FA45C and NNG12FA42I".

These data are openly available as described in the ICON Data Management Plan available on the ICON website (http://icon.ssl.berkeley.edu/Data).